Material Safety Data Sheet	U.S. Department of Labor
May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirments.	Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No.1218-0072
IDENTITY (As used on label and list) AK-054 Wax Magic, Liquid Vehicle Polish Wax	

Section I

Manufacturer's Name AlfaKleen Chemical Laboratories, Inc. www.alfakleen.com	Emergency Telephone Number See Website... Telephone Number for Information See Website...
Cage Code 62639	Date Prepared 01/01/12

Section II -- Hazardous Ingredients/Identity Information

CAS NO.	Ingredients	OSHA PEL	Other Limits: ACGIH TLV	Recommended	%
8030-30-6	Mineral Spirit		225		
8808-20-6	Kerosene		100		

Section III -- Physical/Chemical Characteristics

Boiling Point	Over 204ºF	Specific Gravity (H_2O = 1)	0.99
Vapor Pressure (mm Hg)	12	Melting Point	N/A
Vapor Density (Air = 1)	4	Evaporation Rate (Butyl Acetate = 1)	0.4
Solubility in Water moderately dispersable		Freezing Point	>32ºF
Appearance and Odor yellow, viscous, opaque, liquid, solvent odor		VOC:	85%

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used) N/A- not flammable	Flammable Limits	LEL 1	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards N/A			

Section V -- Reactivity Data

Stability			
	Unstable		Conditions to Avoid Prolonged and excessive heat may cause product decomposition
	Stable X		

Incompatibility (Materials to Avoid)
Normally unreactive; avoid strong oxidizing agents

Hazardous Decomposition or Byproducts
Carbon monoxide and/or Carbon dioxide

Hazardous			
Polymerization	May Occur		Conditions to Avoid None known
	Will Not Occur X		

Section VI -- Health Hazard Data

Route(s) of Entry:	Inhalation ?	Skin?	Ingestion?
	No	No	Yes

Health Hazards (Acute and Chronic)
Harmful if swallowed

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated
	No	No	No

Signs and Symptoms of Exposure
Short term: eyes - irritant

Medical Conditions
May be aggravated by exposure

None recognized

Emergency and First Aid Procedures
Eyes: flush with water for 15 minutes;
Ingestion: may cause gastrointestinal irritation, nausea, and/or diarrhea;
Seek medical attention.

Section VII -- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Flush with water

Waste Disposal Method
Dispose in accordance with applicable local, state and federal regulations.

Precautions to Be Taken in Handling and Storing
Keep out of reach of children.
Keep container closed when not in use.
Store at room temperature.

Other Precautions

Section VIII -- Control Measures

Respiratory Protection (Specify Type)
None usually required

Ventilation	Local Exhaust Yes	Special
	Mechanical (General)	Other

Protective Gloves	Eye Protection
None	Should be worn to prevent irritation

Other Protective Clothing or Equipment
None

Work/Hygienic Practices

Section IX -- Special Precautions

Handling and Storage Precautions

Other Precautions

Section X -- Transportation

Applicable Regulations

Proper Shipping Name **NON-HAZARDOUS**

UN NO.	Limited Qty	Reported Qty
Hazard Class	Labels Required	DOT Exempt/CCN

U.S. Postal Service Regulations	Unit Container

Aerosol Propellants

EPA Hazardous Waste Number/Code

Hazardous Waste Characteristics

Additional Information