Material Safety Data Sheet	U.S. Department of Labor
May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.	Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No.1218-0072

IDENTITY (As used on label and list)

AK-033 Drainwaste Magic, Drainwaste Cleaning Compound

Section I

Manufacturer's Name	Emergency Telephone Number
AlfaKleen Chemical Laboratories, Inc.	See Website…
www.alfakleen.com	Telephone Number for Information: See Website…
Cage Code: 62639	Date Prepared: 01/01/12

Section II -- Hazardous Ingredients/Identity Information

CAS NO.	Ingredients	Other Limits: OSHA PEL	ACGIH TLV	Recommended	%
111-76-2	Glycol Ether EB		25PPM		
64-02-8	Sequestrine 30A		0/0		
141435	Monethanolamine		3PPM		
8006-64-2	Turpentine		MG/M3		

Section III -- Physical/Chemical Characteristics

Boiling Point	155ºF	Specific Gravity (H2O = 1)	0.996
Vapor Pressure (mm Hg.)	0.92	Melting Point	N/A
Vapor Density (AIR = 1)	3.0	Evaporation Rate (Butyl Acetate = 1)	2.5

Solubility in Water: 100%

Appearance and Odor: Amber, light chemical odor	VOC: 100%

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used): N/A- Not flammable Open Cup	Flammable Limits	LEL: N/A	UEL: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: N/A

Section V -- Reactivity Data

Stability			
	Unstable		Conditions to Avoid: Prolonged heat exposure may cause product decomposition.
	Stable: X		

Incompatibility (Materials to Avoid)
Normally unreactive; however, avoid strong oxidizing agents.

Hazardous Decomposition or Byproducts
Carbon monoxide and/or Carbon dioxide

Hazardous			
Polymerization	May Occur		Conditions to Avoid: None known
	Will Not Occur: X		

Section VI -- Health Hazard Data

Route(s) of Entry:	Inhalation ?	Skin?	Ingestion?
	Yes	Yes	Yes

Health Hazards (Acute and Chronic)
Harmful if swallowed; may cause headache, dizziness, or nausea.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated
	No	No	No

Signs and Symptoms of Exposure
Short term effects - Eyes: may cause irritation; Inhalation: may cause dizziness and/or nausea

Medical Conditions
Generally aggravated by exposure.

None recognized

Emergency and First Aid Procedures
Eyes: flush with water for 15 minutes. Skin: flush with soap and water.
Ingestion: may cause gastrointestinal irritation and/or nausea. Seek medical attention.
Inhalation: move to fresh air at once. Seek medical attention.

Section VII -- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Flush with water.

Waste Disposal Method
Dispose in accordance with applicable local, state and federal regulations.

Precautions to Be Taken in Handling and Storing
Keep out of reach of children.
Keep container closed when not in use.
Store at room temperature.

Other Precautions

Section VIII -- Control Measures

Respiratory Protection (Specify Type)
None usually required

Ventilation	Local Exhaust: Yes	Special
	Mechanical (General)	Other

Protective Gloves	Eye Protection
None	Eye protection should be worn to prevent irritation

Other Protective Clothing or Equipment
None

Work/Hygienic Practices

Section IX -- Special Precautions

Handling and Storage Precautions

Other Precautions

Section X -- Transportation

Applicable Regulations

Proper Shipping Name **NON-HAZARDOUS**

UN NO.	Limited Qty	Reported Qty
Hazard Class	Labels Required	DOT Exempt/CCN

U.S. Postal Service Regulations	Unit Container

Aerosol Propellants

EPA Hazardous Waste Number/Code

Hazardous Waste Characteristics

Additional Information